



MCCB 2P -			
Chỉnh dòng nhiệt (Adj. thermal)			
30 ~ 250AF (0.8-0.9-1*In), 400 ~ 800AF (0.63-0.8-1*In)			
HGM100E-F 2P	16-20-25-32-40-50	35kA	650,000
	63-75-100A	35kA	735,000
HGM100S-F 2P	16-20-25-32-40-50	50kA	670,000
	63-75-100A	50kA	750,000
HGM125E-F 2P	16-20-25-32-40-50-63-75-80-100-125A	50kA	850,000
HGM125S-F 2P		65kA	870,000
HGM125H-F 2P		85kA	900,000
HGM250S-F 2P	150-160-175-200-225-250A	65kA	1,520,000
HGM250H-F 2P		85kA	1,550,000
HGM400S-F 2P	300-350-400A	75kA	3,750,000

MCCB 3P -				
Chỉnh dòng nhiệt (Adj. thermal)				
30 ~ 250AF (0.8-0.9-1*In), 400 ~ 800AF (0.63-0.8-1*In)				
HGM50H-F 3P	16-20-25-32-40-50A	38kA	1,136,000	
HGM50L-F 3P	16-20-25-32-40-50A	55kA	1,336,000	
HGM100E-F 3P	16-20-25-32-40-50A	16kA	760,000	
	63-75-100A		935,000	
HGM100S-F 3P	16-20-25-32-40-50A	20kA	790,000	
	63-75-100A		950,000	
HGM100H-F 3P	16-20-25-32-40-50A	26kA	905,000	
	63-75-100A		990,000	
HGM100L-F 3P	16-20-25-32-40-50A	30kA	920,000	
	63-75-100A		1,050,000	
HGM125S-F 3P	16-20-25-32-40-50A	26kA	960,000	
	63-75-80-100-125A		1,050,000	
HGM125H-F 3P	16-20-25-32-40-50A	38kA	1,150,000	
	63-75-80-100-125A		1,250,000	
HGM125L-F 3P	16-20-25-32-40-50A	55kA	1,350,000	
	63-75-80-100-125A		1,450,000	
HGM250S-F 3P	125-150-160-175-200-225-250A	26kA	1,800,000	
HGM250H-F 3P		38kA	1,900,000	
HGM250L-F 3P		55kA	2,350,000	
HGM400E 3P fixed type	250A	45kA	4,400,000	
HGM400S 3P fixed type		65kA	4,650,000	
HGM400E-F 3P	300-350-400A	45kA	4,400,000	
		HGM400S-F 3P	65kA	4,650,000
		HGM400H-F 3P	85kA	4,750,000
HGM630E-F 3P	500-630	45kA	9,000,000	
HGM630S-F 3P		65kA	9,700,000	
HGM630H-F 3P		85kA	9,950,000	
HGM800S-F 3P	700-800A	65kA	9,800,000	
HGM800H-F 3P		85kA	10,500,000	

MCCB 3P -			
Chỉnh dòng nhiệt (Adj. thermal) 0.8~1*In và			
chỉnh dòng ngắn mạch INST (Adj. magnetic) 5~10*In			
HGP250S-H 3P	100-125-150-160-175-200-225-250A	85kA	4,650,000
HGP400S-H 3P	300-350-400A	85kA	6,750,000
HGP630S-H 3P	500-630A	85kA	12,980,000
HGP800S-H 3P	700-800A	85kA	14,800,000

Mã hàng	Dòng định mức In(A)	Icu (kA)	Đơn giá (VND)
MCCB 4P -			
Chỉnh dòng nhiệt (Adj. thermal)			
30 ~250AF (0.8-0.9-1*In), 400 ~ 800AF (0.63-0.8-1*In)			
HGM100S -F 4P	16-20-25-32-40-50-63-75-100A	20kA	1,450,000
HGM100H -F 4P		26kA	1,500,000
HGM125E -F 4P	16-20-25-32-40-50-63-75-100-125A	20kA	1,980,000
HGM125H -F 4P		38kA	2,050,000
HGM250E -F 4P	125-150-175-200-225-250A	20kA	3,000,000
HGM250S -F 4P		26kA	3,100,000
HGM400E 4P fixed type	250A	45kA	6,100,000
HGM400S 4P fixed type		65kA	6,200,000
HGM400E -F 4P	300-350-400A	45kA	6,100,000
HGM400S -F 4P		65kA	6,200,000
HGM630E -F 4P	500-630	45kA	10,800,000
HGM630S -F 4P		65kA	11,500,000
HGM800S -F 4P	700-800A	65kA	12,800,000
HGM800H -F 4P		85kA	13,500,000

Phụ kiện HGM -MCCB		
Aux. Switch	AUX 10GM C1 (HGM30~250)	250,000
	AUX 40GM (HGM400/ 800)	350,000
Alarm Switch	ALT 10GM (HGM30~250)	250,000
	ALT 40GM (HGM400/ 800)	350,000
Shunt Trip AC200~230V/380~415V	SHT 10GM (HGM30~250)	450,000
	SHT 40GM (HGM400/ 800)	690,000
Under Voltage Trip AC200~230V / 380~415V	UVT 10GM (HGM30~250)	1,300,000
	UVT 40GM (HGM400/ 800)	1,300,000
Tay xoay (gắn trực tiếp)	TFG 10GM/ 12GM/ 25GM	550,000
	TFG 40GM/ 80GM	1,300,000
Tay xoay (loại nối dài)	TFH 10GM/ 12GM/ 25GM	750,000
	TFH 40GM/ 80GM	1,500,000
Motor (MOT)	MOT 10GM (AC/DC 110V hoặc 240V)	6,500,000
	MOT 12GM/ 25GM (AC/DC 110V hoặc 240V)	7,000,000
	MOT 40GM (AC/DC 110V hoặc 240V)	10,000,000
	MOT 80GM (AC/DC 110V hoặc 240V)	11,300,000
Tấm chắn pha/ INTERPOLE BARRIER	TQQ10GM 3 (HGM100/ 125 3P)	45,000
	TQQ25GM 3 (HGM250 3P)	60,000
	TQQ40GM 3/ 63GP3 (HGM400/ 630/ 800 3P)	200,000
Thanh cái/ BUS BAR	TBB25GM 3S (HGM250 3P)	310,000
	TBB25GP 3E45 (HGM250 3P)	330,000
	TBB40GM 3S (HGM400 3P)	850,000
	TBB40GM 3E59 (HGM400 3P)	1,350,000
	TBB80GM 3S (HGM630/ 800 3P)	1,800,000
Nắp đầu cực (loại dài)	TCF 10GM L3	120,000
	TCF 12GM L3	135,000
	TCF 25GM L3	150,000
	TCF 40GM L3	440,000
	TCF 80GM L3	550,000

Mã hàng	Dòng định mức In(A)	Icu (kA)	Đơn giá (VND)
MCCB 2P			
UMB30RA 2P	15-20-30A	1.5kA	115,000
UDB30S 2P	10-15-20-30A	5kA	430,000
UDB50S 2P	40-50A	5kA	500,000
MCCB 3P			
UDB30S 3P	10-15-20-30A	2.5kA	585,000
UDB50S 3P	40-50A	2.5kA	630,000

MCCB 3P, Chỉnh dòng điện tử - Electronic			
UPB100S 3P	50~125A	85kA	6,300,000
UPB160S 3P	63~160A	85kA	7,100,000
UPB250S 3P	100~250A	85kA	7,600,000
UPB400S 3P	200~400A	85kA	14,000,000
UPB400H 3P	200~400A	100kA	14,500,000
UPB630S 3P	320~630A	85kA	15,500,000
UPB630H 3P	320~630A	100kA	16,000,000
UCB1000S 3P	505~1000A	100kA	25,000,000
UCB1250S 3P	630~1250A	100kA	26,000,000
UCB1600S 3P	640~1600A	65kA	51,000,000

Phụ kiện U series -MCCB		
Aux. Switch	AUX46UPR1 (UPB400/ 630S/H)	360,000
	AUX80NER1 (UCB1000/ 1250 S/L)	720,000
	AUX160NER1 (UCB1600S)	1,500,000
Alarm Switch	ALT46UPR1 (UPB400/ 630S/H)	360,000
	ALT80NER1 (UCB1000/ 1250 S/L)	720,000
Shunt Trip H: AC200~230V B: AC380~415V	SHT46UP_ (UPB400/ 630S/H)	450,000
	SHT120NE_ (UCB1000/ 1250 S/L)	1,500,000
	SHT160NE_ (UCB1600S)	2,100,000
Under Voltage Trip P: AC200~230V Q: AC380~415V	UVT46UP_ (UPB400/ 630S/H)	1,500,000
	UVT120NE_ (UCB1000/ 1250 S/L)	750,000
	UVT160NE_ (UCB1600S)	2,200,000
Motor (MOT)	MOT40NE ADC220 (AC/DC220V for UPB400/630)	9,000,000
	MOT80NE ADC220 (AC/DC220V for UCB1000/1250S/L)	10,000,000
	MOT160NE AC220 (AC220V for UCB1600S)	16,000,000
Tám chắn pha	TQQ46NE3P (4EA/SET for UPB400/630S/H/L)	210,000
	TQQ80NE3P (4EA/SET for UCB1000/1250S/L)	265,000
	TQQ160NE3P (4EA/SET for UCB1600S)	470,000
Thanh cái/ Bus bar	TBB40NE3 (6EA/SET for UPB400S/H 3P)	1,800,000
	TBB60NE3 (6EA/SET for UPB630S/H 3P)	1,800,000



Deluxe Type (6 kA, 10 kA)

Mã hàng	In(A)	Icu (kA)	Đơn giá(VNĐ)
APTOMAT- MCB (Loại thanh cài) - Tiêu chuẩn IEC60898-1			
HGD63-N 1P	6-10-16-20-25-32-40-50-63A	6kA	70,000
HGD63-N 2P			145,000
HGD63-N 3P			235,000
HGD63-N 4P			400,000
HGD63-N (1P+N)			150,000
HGD63-N (3P+N)			410,000
HGD63H 1P	6-10-16-20-25-32-40-50-63A	10kA	109,000
HGD63H 2P			220,000
HGD63H 3P			355,000
HGD63H 4P			550,000
HGD125 1P	80-100-125A	10kA	280,000
HGD125 2P			560,000
HGD125 3P			790,000
HGD125 4P			1,050,000



Deluxe Type (10 kA)

APTOMAT chống rò điện- RCCB (dòng dò 10/30/ 100/ 300mA)			
HRC63 2PG	16 -25 -32 -40 -50 - 63A	A Type - 10kA	750,000
HRC100 2PG	80 -100A		1,100,000
HRC63 4PG	16 -25 -32 -40 -50 -63A		1,050,000
HRC100 4PG	80 -100A		1,550,000
HRC63 2PG	16 -25 -32 -40 -50 -63A	AC Type - 10kA	550,000
HRC100 2PG	80 -100A		750,000
HRC63 4PG	16 -25 -32 -40 -50 -63A		750,000
HRC100 4PG	80 -100A		1,190,000

APTOMAT bảo vệ quá tải và chống rò điện - RCBO (dòng dò 10/30/ 100mA)			
HRO63M 1NG	1P+N (6-10-16-20-25-32-40-50-63A)	6kA	360,000
HRO63M 3NG	3P+N (6-10-16-20-25-32-40-50-63A)		600,000
HRO63P 1NG	1P+N (6-10-16-20-25-32-40-50-63A)	10kA	410,000
HRO63P 3NG	3P+N (6-10-16-20-25-32-40-50-63A)		700,000

APTOMAT ELCB (dòng dò 100-300-500-1000mA)			
HGE50E 2P	16-20-25-32-40-50A	35kA	1,800,000
HGE100S 2P	63-75-80-100A	50kA	1,800,000
HGE250E 2P	125-150-160-175-200-225-250A	50kA	3,500,000
HGE50E 3P	16-20-25-32-40-50A	16kA	2,100,000
HGE100S 3P	63-75-80-100A	20kA	2,600,000
HGE250S 3P	125-150-160-175-200-225-250A	26kA	4,000,000
HGE400E 3P	250-300-350-400A	45kA	9,000,000



Mã hàng	In(A)	Công suất	Điện áp (V)	Đơn giá (VNĐ)
CONTACTOR (AC Magnetic Contactor 50Hz)				
HGC9 11NS X ---	9A (1a1b)	4KW	AC024/ AC048/ AC110/ AC120/ AC220/ AC240/ AC380/ AC440V	300,000
HGC12 11NS X ---	12A (1a1b)	5.5KW		330,000
HGC18 11NS X ---	18A (1a1b)	7.5KW		420,000
HGC25 11NS X ---	25A (1a1b)	11KW		495,000
HGC32 22NS X ---	32A (2a2b)	15KW		720,000
HGC40 22NS X ---	40A (2a2b)	18.5KW		930,000
HGC50 22NS X ---	50A (2a2b)	22KW		990,000
HGC65 22NS X ---	65A (2a2b)	30KW		1,250,000
HGC75 22NS X ---	75A (2a2b)	37KW		1,600,000
HGC85 22NS X ---	85A (2a2b)	45KW		1,900,000
HGC100 22NS X ---	100A (2a2b)	55KW		2,300,000
HGC130 22NS Y220	130A (2a2b)	65KW	AC220V	2,500,000
HGC150 22NS Y220	150A (2a2b)	75KW		2,900,000

CONTACTOR (AC/DC Magnetic Contactor)				
HGC130 22NS F ---	130A (2a2b)	65KW	F220: AC100~240 DC110~220 F440: AC380~450	3,050,000
HGC150 22NS F ---	150A (2a2b)	75KW		3,900,000
HGC185 22NS F ---	185A (2a2b)	90KW		5,100,000
HGC225 22NS F ---	225A (2a2b)	132KW		5,900,000
HGC265 22NS F ---	265A (2a2b)	147KW		7,950,000
HGC300 22NS F ---	300A (2a2b)	160KW		8,700,000
HGC400 22NS F ---	400A (2a2b)	220KW		10,150,000
HGC500 22NS F ---	500A (2a2b)	250KW		16,500,000
HGC630 22NS F ---	630A (2a2b)	330KW	F220: AC200~240 DC200~220 F440: AC380~450	21,300,000
HGC800 22NS F ---	800A (2a2b)	440KW		27,100,000

CUỘN HÚT CONTACTOR (AC Magnetic Contactor)				
HGCOL18 X	HGC9 ~ 18	AC	128,000	
HGCOL40 X	HGC25 ~ 40		138,000	
HGCOL65 X	HGC50 ~ 65		156,000	
HGCOL100 X	HGC75 ~ 100		220,000	
HGCOL150 Y	HGC130 ~150		1,100,000	
HGCOL150 F	HGC130 ~ 150	AC/DC	1,150,000	
HGCOL265 F	HGC185 ~ 265		1,480,000	
HGCOL500 F	HGC300 ~ 500		2,620,000	
HGCOL800 F	HGC630 ~ 800		3,520,000	

CONTACTOR (DC COIL)				
HGC9 11NSD---	9A (1a1b)	DC 024/ 048/ 110/ 125/ 220V	520,000	
HGC12 11NSD---	12A (1a1b)		540,000	
HGC18 11NSD---	18A (1a1b)		600,000	
HGC25 11NSD---	25A (1a1b)		620,000	
HGC32 11NSD---	32A (1a1b)		760,000	
HGC40 21NSD---	40A (2a1b)		980,000	
HGC50 21NSD---	50A (2a1b)		1,050,000	
HGC65 21NSD---	65A (2a1b)		1,400,000	
HGC75 21NSD---	75A (2a1b)		2,000,000	
HGC85 21NSD---	85A (2a1b)		2,450,000	
HGC100 21NSD---	100A (2a1b)		2,550,000	

Áp dụng từ ngày 01/01/2020



Front Mounting



Side Mounting



RO LE NHIỆT	Dải dòng (A)	Đơn giá (VNĐ)
HGT18K (cho HGC9 ~ 18)	0.12 - 0.18A, 0.18 - 0.26A, 0.25 - 0.35A, 0.34 - 0.5A, 0.5 - 0.7A, 0.6 - 0.9A, 0.8 - 1.2A, 1.1 - 1.6A, 1.5 - 2.1A, 2 - 3A, 2.8 - 4.2A, 3 - 5A, 4 - 6A, 5.6 - 8A, 6 - 9A, 8 - 12A, 12 - 18A	250,000
HGT40K (cho HGC25 ~ 40)	7-10A, 8-12A, 12-18A, 15-22A, 17 - 25A, 22-32A, 28 - 40A	315,000
HGT65K (cho HGC50~65)	17 - 25A, 22-32A, 28 - 40A, 34 - 50A, 45 - 65A	640,000
HGT100K (cho HGC75~100)	28 - 40A, 34 - 50A, 45 - 65A, 52 - 75A, 59 - 85A, 70-100A	930,000
HGT150K (cho HGC115~150)	48 - 80A, 69 - 115A, 78 - 130A, 90 - 150A	1,850,000
HGT265K (cho HGC185~265)	90 - 150A, 111 - 185A, 135 - 225A, 159 - 265A	2,400,000
HGT500K (cho HGC300~500)	159 - 265A, 180 - 300A, 240 - 400A, 300-500A	3,450,000
HGT800K (cho HGC630, 800)	378 - 630A, 480 - 800A	6,800,000

TIẾP ĐIỂM PHỤ			
HGCTB-NS	2NC/ 1NO+1NC/ 2NC	Cài trên cho HGC9~100	88,000
	4NO/ 3NO+1NC/ 2NO+2NC/ 1NO+3NC/ 4NC		150,000
HGCSB 40	1NO+1NC, dùng cho HGC9 ~ 40	Cài cạnh	85,000
HGCSB 100	1NO+1NC, dùng cho HGC50 ~ 100		130,000
HGCSB 800	1NO+1NC, dùng cho HGC115 ~ 800		170,000
KHÓA LIÊN ĐỘNG (không áp dụng cho HGC40~100 DC)			
HGCIU40	HGC9 ~ 40		165,000
HGCIU100	HGC50 ~ 100		165,000
HGCIU265	HGC115 ~ 265		300,000
HGCIU800	HGC300 ~ 800		1,200,000

CONTROL RELAY			
HGR 04NS X---	4NC	AC 024/ 048/ 110/ 120/ 220/ 240/ 380/ 440/ 480V	450,000
HGR 13NS X---	1NO.3NC		450,000
HGR 22NS X---	2NO.2NC		450,000
HGR 31XS X---	3NO.1NC		450,000
HGR 40XS X---	4NO		450,000
HGR 04PS D---	4NC	DC 024/ 048/ 110/ 125/ 220V	540,000
HGR 13PS D---	1NO.3NC		540,000
HGR 22PS D---	2NO.2NC		540,000
HGR 31PS D---	3NO.1NC		540,000
HGR 40PS D---	4NO		540,000

CAPACITOR SWITCHING UNIT (ứng dụng cho đóng cắt tụ bù)			
HGCCU40 00NS	dùng cho HGC9 ~ 40		400,000
HGCCU65 00NS	dùng cho HGC50 ~ 65		400,000
HGCCU100 00NS	dùng cho HGC75 ~ 100		400,000

CUỘN HÚT CONTACTOR (DC)			
HGCOL18 D---	HGC9 ~ 18	DC 024/ 048/ 110/ 125/ 220V	220,000
HGCOL40 D---	HGC25 ~ 40		230,000
HGCOL65 D---	HGC50 ~ 65		240,000
HGCOL100 D---	HGC75 ~ 100		270,000

MÁY CẮT KHÔNG KHÍ (ACB)

ACB Hyundai loại tiêu chuẩn HGS/HGN đã bao gồm Mô tơ, Cuộn đóng, Cuộn cắt và Rơ le bảo vệ (OCR) A type GPR-LA (**)

Mã hàng	Icu (kA)	Đơn giá(VND)
HGS Type (Standard), 3P, Fixed Type		
HGS06A3HM2C2S251T	65kA	39,000,000
HGS08A3HM2C2S251H	65kA	40,000,000
HGS10A3HM2C2S251J	65kA	41,500,000
HGS12A3HM2C2S251K	65kA	43,000,000
HGS16A3HM2C2S251L	65kA	45,500,000
HGS20B3HM2C2S251M	85kA	55,000,000
HGS25B3HM2C2S251N	85kA	66,000,000
HGN Type (Premium), 3P, Fixed Type		
HGN06A3HM2C2S251T	85kA	44,000,000
HGN08A3HM2C2S251H	85kA	46,500,000
HGN10A3HM2C2S251J	85kA	47,500,000
HGN12A3HM2C2S251K	85kA	51,000,000
HGN16A3HM2C2S251L	85kA	53,000,000
HGN20A3HM2C2S251M	85kA	56,000,000
HGN25B3HM2C2S251N	100kA	69,500,000
HGN32B3HM2C2S251P	100kA	79,000,000
HGN40B3HM2C2S251Q	100kA	112,000,000
HGN50C3HM2C2S251S	100kA	150,000,000
HGN63D3HM2C2S251X	150kA	225,000,000
HGS Type (Standard), 3P, Draw in/out Type		
HGS06A3BM2C2S251T	65kA	52,000,000
HGS08A3BM2C2S251H	65kA	55,000,000
HGS10A3BM2C2S251J	65kA	56,000,000
HGS12A3BM2C2S251K	65kA	58,500,000
HGS16A3BM2C2S251L	65kA	61,500,000
HGS20B3BM2C2S251M	85kA	78,000,000
HGS25B3BM2C2S251N	85kA	98,000,000
HGN Type (Premium), 3P, Draw in/out Type		
HGN06A3BM2C2S251T	85kA	62,000,000
HGN08A3BM2C2S251H	85kA	63,000,000
HGN10A3BM2C2S251J	85kA	64,000,000
HGN12A3BM2C2S251K	85kA	65,000,000
HGN16A3BM2C2S251L	85kA	66,000,000
HGN20A3BM2C2S251M	85kA	77,000,000
HGN25B3BM2C2S251N	100kA	83,000,000
HGN32B3BM2C2S251P	100kA	123,000,000
HGN40B3BM2C2S251Q	100kA	150,000,000
HGN50C3BM2C2S251S	100kA	205,000,000
HGN63D3BM2C2S251X	150kA	295,000,000

Mã hàng	Icu (kA)	Đơn giá(VND)
HGS Type (Standard), 4P, Fixed Type		
HGS06A4HM2C2S251T	65kA	41,000,000
HGS08A4HM2C2S251H	65kA	43,000,000
HGS10A4HM2C2S251J	65kA	43,500,000
HGS12A4HM2C2S251K	65kA	49,500,000
HGS16A4HM2C2S251L	65kA	52,000,000
HGS20B4HM2C2S251M	85kA	58,000,000
HGS25B4HM2C2S251N	85kA	81,000,000
HGN Type (Premium), 4P, Fixed Type		
HGN06A4HM2C2S251T	85kA	46,000,000
HGN08A4HM2C2S251H	85kA	49,000,000
HGN10A4HM2C2S251J	85kA	50,000,000
HGN12A4HM2C2S251K	85kA	58,000,000
HGN16A4HM2C2S251L	85kA	61,000,000
HGN20A4HM2C2S251M	85kA	63,000,000
HGN25B4HM2C2S251N	100kA	85,000,000
HGN32B4HM2C2S251P	100kA	96,000,000
HGN40B4HM2C2S251Q	100kA	135,000,000
HGN50C4HM2C2S251S	100kA	189,000,000
HGN63D4HM2C2S251X	150kA	290,000,000
HGS Type (Standard), 4P, Draw in/out Type		
HGS06A4BM2C2S251T	65kA	57,500,000
HGS08A4BM2C2S251H	65kA	61,000,000
HGS10A4BM2C2S251J	65kA	62,500,000
HGS12A4BM2C2S251K	65kA	66,000,000
HGS16A4BM2C2S251L	65kA	70,000,000
HGS20B4BM2C2S251M	85kA	93,000,000
HGS25B4BM2C2S251N	85kA	112,000,000
HGN Type (Premium), 4P, Draw in/out Type		
HGN06A4BM2C2S251T	85kA	68,000,000
HGN08A4BM2C2S251H	85kA	72,000,000
HGN10A4BM2C2S251J	85kA	73,000,000
HGN12A4BM2C2S251K	85kA	79,000,000
HGN16A4BM2C2S251L	85kA	85,000,000
HGN20A4BM2C2S251M	85kA	87,000,000
HGN25B4BM2C2S251N	100kA	135,000,000
HGN32B4BM2C2S251P	100kA	148,000,000
HGN40B4BM2C2S251Q	100kA	177,000,000
HGN50C4BM2C2S251S	100kA	230,000,000
HGN63D4BM2C2S251X	150kA	350,000,000

Phụ kiện ACB	Mã hàng	Thông số	Đơn giá (VNĐ)
Motor	HGNS M(*)U	(*) : 1 - AC/DC110V 2 - AC/DC220V 3 - AC380V 4 - AC400V 7 - DC24V 8 - DC48V 9 - DC125V	4,500,000
Closing coil	HGNS C(*)		900,000
Trip coil	HGNS S(*)		900,000
UVT Coil (Instantaneous type)	HGNS U(*)		1,500,000
UVT Time Delay Controller	HGNS UT(*)		2,700,000
UVT Time Delay Controller & UVT Coil	HGNS V(*)		4,200,000
AUX switch	HGNS A3A	Auto connection type, 3a+3b	1,750,000
	HGNS A3J	Manual connection type, 3a+3b	1,750,000
	HGNS A5A	Auto connection Type, 5a+5b	2,700,000
	HGNS A5J	Manual connection type, 5a+5b	2,700,000
Khóa liên động Mechanical interlock	HGNS FWB1A	for A frame, Fixed type, 2 ACB	16,000,000
	HGNS FWB2A	for A frame, Fixed type, 3 ACB	24,000,000
	HGNS FWB1B	for B frame, Fixed type, 2 ACB	16,000,000
	HGNS FWB2B	for B frame, Fixed type, Wire Type, 3 ACB	24,000,000
	HGNS FWB1C	for C frame, Fixed type, Wire Type, 2 ACB	32,000,000
	HGNS FWB2C	for C frame, Fixed type, Wire Type, 3 ACB	48,000,000
Tấm chắn pha Phase insulation barrier	HGNS 3PBAR	for 3P	210,000
	HGNS 4PBAR	for 4P	300,000
Protection Trip Relay (OCR)	HGNSOCR-LA(51/61)A	50/60Hz, GPR-LA, for Auto connection	7,000,000
Biến dòng Current Transformer (CT)	HGNS CTA(**)3	for A frame	3,000,000
	HGNS CTB(**)3	for B frame	3,500,000
	HGNS CTC(**)3	for C frame	6,300,000
Key lock	HGNS AB	Key lock device	500,000
OCR Portable Checker	HGNS OC		69,000,000
Door flange	HGNS AG	for IP30	400,000
Dust cover	HGNS DC	for IP52	11,500,000
ATS Controller	HGNS ATS	Automatic transfer switch & Controller	37,500,000

(**): T - H - J - K - L - M - N - P - Q - S - X tương ứng 630 - 800 - 1000 - 1250 - 1600 - 2000 - 2500 - 3200 - 4000 - 5000 - 6300A

Thanh cái (Terminal Bus Bar) của ACB có thể thay đổi Dọc/ Ngang theo kết cấu lắp đặt tủ điện của khách hàng:

+ HGS/HGN A frame 630~1600A

+ HGS/HGN B frame 630~3200A



Acquired Standards and Certifications

- KS Certification : KS C 4620
- CB Certification (DEKRA, KERI) : IEC 60947-1, 2
- CE Mark
- CCC Certification
- Vessel Certification : LR, ABS, KR, BV, GL, NK, RINA, DNV, RS
- 9 Major Vessel Certifications : KR, GL, LR, ABS, BV, NK, RINA, DNV, RS